

State of California  
Department of Parks and Recreation

**NOTICE OF EXEMPTION**

**TO:** Office of Planning and Research  
1400 Tenth Street  
Sacramento, CA 95814

**FROM:** Department of Parks and Recreation  
1416 Ninth Street  
P.O. Box 942896  
Sacramento, CA 94296-0001

**PROJECT TITLE:** Plaster Repair

**LOCATION:** Old Governor's Mansion State Historic Park

**COUNTY:** Sacramento

**DESCRIPTION OF THE NATURE AND PURPOSE OF PROJECT:**

Replace approximately 70 sq. feet of damaged and missing plaster on ceilings and walls in rooms located on the second and third floors of the historic structure at the Old Governor's Mansion State Historic Park in Sacramento. Portions of the existing plaster have failed due to water leaks in the roof (the roof has since been repaired). Plaster repair work will include metal lath fastened to the original wood lath to provide a better bonding surface for the new plaster.

**PUBLIC AGENCY APPROVING THE PROJECT:** California Department of Parks and Recreation

**NAME OF DIVISION OR DISTRICT CARRYING OUT THE PROJECT:** Capital District

**EXEMPT STATUS:**

☒ Categorical Exemption

Class: 31

Section: 15331

**REASONS WHY PROJECT IS EXEMPT:**

Repair and restoration of a historic resource in a manner consistent with the Secretary of the Interior's Standards for the Treatment of Historic Properties with Guidelines for Preserving, Rehabilitating, Restoring, and Reconstructing Historic Buildings (1995), Weeks and Grimmer.

**CONTACT:** Robert Baxter, Assoc. Landscape Architect  
California State Railroad Museum

**TELEPHONE:** (916) 323-7272  
**EMAIL:** rbaxt@parks.ca.gov

---

Stephen C. Hill, **District Superintendent**

**DATE** \_\_\_\_\_